

## 5 Summary

The Standard Model of particle physics is one of the greatest achievements of science. In these lectures we have reviewed the basic ingredients that were required for its construction and how they were cleverly combined together to build a consistent and predictive theory for the electromagnetic and weak interactions. Finally, we have also pointed out some of the main SM drawbacks and discussed possible solutions.

## Acknowledgements

I thank the Scientific Advisory Committee of the International School of AstroParticle Physics (ISAPP) schools for giving me the opportunity to give these lectures.

## References

- [1] T. P. Cheng and L. F. Li, *Gauge theory of elementary particle physics*. Oxford University Press, UK, 1984.
- [2] C. Quigg, *Gauge Theories of the Strong, Weak, and Electromagnetic Interactions*. Princeton University Press, USA, 2013. <http://chrisquigg.com/gauge-theories/>.
- [3] I. J. R. Aitchison and A. J. G. Hey, *Gauge theories in particle physics: A practical introduction. Vol. 2: Non-Abelian gauge theories: QCD and the electroweak theory*. IOP, 2004. <http://www-spires.fnal.gov/spires/find/books/www?cl=QC793.3.F5A34::2012:V2>.
- [4] S. F. Novaes, “Standard model: An Introduction,” in *Particles and fields. Proceedings, 10th Jorge Andre Swieca Summer School, Sao Paulo, Brazil, February 6-12, 1999*, pp. 5–102. 1999. [arXiv:hep-ph/0001283](https://arxiv.org/abs/hep-ph/0001283) [[hep-ph](#)]. <http://alice.cern.ch/format/showfull?sysnb=2173689>.
- [5] J. C. Romão, “The need for the Higgs boson in the Standard Model,” [arXiv:1603.04251](https://arxiv.org/abs/1603.04251) [[hep-ph](#)].
- [6] S. Weinberg, “The Making of the standard model,” *Eur. Phys. J.* **C34** (2004) 5–13, [arXiv:hep-ph/0401010](https://arxiv.org/abs/hep-ph/0401010) [[hep-ph](#)]. [,99(2005)].
- [7] W. Pauli, “Dear radioactive ladies and gentlemen,” *Phys. Today* **31N9** (1978) 27.
- [8] E. Fermi, “An attempt of a theory of beta radiation. 1.,” *Z. Phys.* **88** (1934) 161–177.
- [9] E. Fermi, “Trends to a Theory of beta Radiation. (In Italian),” *Nuovo Cim.* **11** (1934) 1–19. [,535(1934)].
- [10] T. D. Lee and C.-N. Yang, “Question of Parity Conservation in Weak Interactions,” *Phys. Rev.* **104** (1956) 254–258.
- [11] C. S. Wu, E. Ambler, R. W. Hayward, D. D. Hoppes, and R. P. Hudson, “Experimental Test of Parity Conservation in Beta Decay,” *Phys. Rev.* **105** (1957) 1413–1414.
- [12] N. Cabibbo, “Unitary Symmetry and Leptonic Decays,” *Phys. Rev. Lett.* **10** (1963) 531–533. [,648(1963)].
- [13] A. Salam and J. C. Ward, “On a gauge theory of elementary interactions,” *Nuovo Cim.* **19** (1961) 165–170.
- [14] C.-N. Yang and R. L. Mills, “Conservation of Isotopic Spin and Isotopic Gauge Invariance,” *Phys. Rev.* **96** (1954) 191–195.
- [15] J. Goldstone, “Field Theories with Superconductor Solutions,” *Nuovo Cim.* **19** (1961) 154–164.
- [16] P. W. Higgs, “Broken symmetries, massless particles and gauge fields,” *Phys. Lett.* **12** (1964) 132–133.
- [17] P. W. Higgs, “Broken Symmetries and the Masses of Gauge Bosons,” *Phys. Rev. Lett.* **13** (1964) 508–509.
- [18] F. Englert and R. Brout, “Broken Symmetry and the Mass of Gauge Vector Mesons,” *Phys. Rev. Lett.* **13** (1964) 321–323.
- [19] G. S. Guralnik, C. R. Hagen, and T. W. B. Kibble, “Global Conservation Laws and Massless Particles,” *Phys. Rev. Lett.* **13** (1964) 585–587.
- [20] S. L. Glashow, “Partial Symmetries of Weak Interactions,” *Nucl. Phys.* **22** (1961) 579–588.

- [21] S. Weinberg, “A Model of Leptons,” *Phys. Rev. Lett.* **19** (1967) 1264–1266.
- [22] A. Salam, “Weak and Electromagnetic Interactions,” *Conf. Proc.* **C680519** (1968) 367–377.
- [23] M. Kobayashi and T. Maskawa, “CP Violation in the Renormalizable Theory of Weak Interaction,” *Prog. Theor. Phys.* **49** (1973) 652–657.
- [24] S. L. Glashow, J. Iliopoulos, and L. Maiani, “Weak Interactions with Lepton-Hadron Symmetry,” *Phys. Rev.* **D2** (1970) 1285–1292.
- [25] G. ’t Hooft, “Renormalization of Massless Yang-Mills Fields,” *Nucl. Phys.* **B33** (1971) 173–199.
- [26] G. ’t Hooft, “Renormalizable Lagrangians for Massive Yang-Mills Fields,” *Nucl. Phys.* **B35** (1971) 167–188.
- [27] G. ’t Hooft and M. J. G. Veltman, “Regularization and Renormalization of Gauge Fields,” *Nucl. Phys.* **B44** (1972) 189–213.
- [28] **Particle Data Group** Collaboration, K. A. Olive *et al.*, “Review of Particle Physics,” *Chin. Phys.* **C38** (2014) 090001.
- [29] Z. Maki, M. Nakagawa, and S. Sakata, “Remarks on the unified model of elementary particles,” *Prog. Theor. Phys.* **28** (1962) 870–880.
- [30] B. Pontecorvo, “Neutrino Experiments and the Problem of Conservation of Leptonic Charge,” *Sov. Phys. JETP* **26** (1968) 984–988. [*Zh. Eksp. Teor. Fiz.*53,1717(1967)].
- [31] P. Minkowski, “ $\mu \rightarrow e\gamma$  at a Rate of One Out of  $10^9$  Muon Decays?,” *Phys. Lett.* **B67** (1977) 421–428.
- [32] M. Gell-Mann, P. Ramond, and R. Slansky, “Complex Spinors and Unified Theories,” *Conf. Proc.* **C790927** (1979) 315–321, [arXiv:1306.4669 \[hep-th\]](#).
- [33] T. Yanagida, “Horizontal symmetry and masses of neutrinos,” *Conf. Proc.* **C7902131** (1979) 95–99.
- [34] R. N. Mohapatra and G. Senjanovic, “Neutrino Mass and Spontaneous Parity Violation,” *Phys. Rev. Lett.* **44** (1980) 912.
- [35] E. Majorana, “Theory of the Symmetry of Electrons and Positrons,” *Nuovo Cim.* **14** (1937) 171–184.
- [36] J. Schechter and J. W. F. Valle, “Neutrino Masses in SU(2) x U(1) Theories,” *Phys. Rev.* **D22** (1980) 2227.
- [37] V. Silveira and A. Zee, “Scalar phantoms,” *Phys. Lett.* **B161** (1985) 136–140.
- [38] A. D. Sakharov, “Violation of CP Invariance, c Asymmetry, and Baryon Asymmetry of the Universe,” *Pisma Zh. Eksp. Teor. Fiz.* **5** (1967) 32–35. [*Usp. Fiz. Nauk*161,61(1991)].
- [39] M. Fukugita and T. Yanagida, “Baryogenesis Without Grand Unification,” *Phys. Lett.* **B174** (1986) 45–47.
- [40] S. Davidson, E. Nardi, and Y. Nir, “Leptogenesis,” *Phys. Rept.* **466** (2008) 105–177, [arXiv:0802.2962 \[hep-ph\]](#).
- [41] S. Dimopoulos and H. Georgi, “Softly Broken Supersymmetry and SU(5),” *Nucl. Phys.* **B193** (1981) 150–162.
- [42] D. J. Gross and F. Wilczek, “Ultraviolet Behavior of Nonabelian Gauge Theories,” *Phys. Rev. Lett.* **30** (1973) 1343–1346.
- [43] H. D. Politzer, “Reliable Perturbative Results for Strong Interactions?,” *Phys. Rev. Lett.* **30** (1973) 1346–1349.
- [44] H. Georgi and S. L. Glashow, “Unity of All Elementary Particle Forces,” *Phys. Rev. Lett.* **32** (1974) 438–441.
- [45] H. Georgi, “The State of the Art – Gauge Theories,” *AIP Conf. Proc.* **23** (1975) 575–582.
- [46] H. Fritzsch and P. Minkowski, “Unified Interactions of Leptons and Hadrons,” *Annals Phys.* **93** (1975) 193–266.

- [47] **CKMfitter Group** Collaboration, J. Charles, A. Hocker, H. Lacker, S. Laplace, F. R. Le Diberder, J. Malcles, J. Ocariz, M. Pivk, and L. Roos, “CP violation and the CKM matrix: Assessing the impact of the asymmetric  $B$  factories,” *Eur. Phys. J.* **C41** (2005) 1–131, [arXiv:hep-ph/0406184](#) [hep-ph]. Updated results and plots available at: <http://ckmfitter.in2p3.fr>.
- [48] D. V. Forero, M. Tortola, and J. W. F. Valle, “Neutrino oscillations refitted,” *Phys. Rev.* **D90** no. 9, (2014) 093006, [arXiv:1405.7540](#) [hep-ph].